

# Cincinnati Fire/Rescue

## *Incidents by Neighborhood*

*2001*

Avondale	
62	STRUCTURE FIRE
5	OUTSIDE OF STRUCTURE FIRE
60	VEHICLE FIRE
2	TREES, BRUSH, GRASS FIRE
43	REFUSE FIRE
1	EXPLOSION, NO AFTER-FIRE
1	FIRE, EXPLOSION - NOT CLASSIFIED
1	OVERPRESSURE RUPTURE - INSUFFICIENT INFO.
1	STEAM RUPTURE
1	AIR, GAS RUPTURE
1	RESCUE CALL - INSUFFICIENT INFO.
2,534	EMERGENCY MEDICAL CALL
15	LOCK IN
13	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
7	RESCUE CALL - NOT CLASSIFIED
4	HAZARDOUS CONDITION - INSUFFICIENT INFO.
9	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
2	EXCESSIVE HEAT
5	POWER LINE DOWN
27	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
15	HAZARDOUS CONDITION - NOT CLASSIFIED
9	WATER CUTOFF / EVACUATION
3	SMOKE, ODOR REMOVAL
16	ASSIST POLICE
2	UNAUTHORIZED BURNING
11	SERVICE CALL - NOT CLASSIFIED

8	GOOD INTENT CALL - INSUFFICIENT INFO.
69	SMOKE SCARE
2	VICINITY ALARM (INCL MULTIPLE BOXES FOR 1 FIRE)
3	STEAM, OTHER GAS MISTAKEN FOR SMOKE
72	GOOD INTENT CALL - NOT CLASSIFIED
33	MALICIOUS, MISCHIEVOUS FALSE CALL
254	SYSTEM MALFUNCTION
44	UNINTENTIONAL, ACCIDENTAL TRIP
1	FALSE CALL - NOT CLASSIFIED
1	CO DETECTOR ACTIVATED - CO FOUND
1	CO DETECTOR MALFUNCTION
<b>3,340</b>	
<b>Bond Hill</b>	
50	STRUCTURE FIRE
7	OUTSIDE OF STRUCTURE FIRE
38	VEHICLE FIRE
6	TREES, BRUSH, GRASS FIRE
30	REFUSE FIRE
5	STEAM RUPTURE
1	OVERPRESSURE RUPTURE - NOT CLASSIFIED
1,554	EMERGENCY MEDICAL CALL
6	LOCK IN
5	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
3	RESCUE CALL - NOT CLASSIFIED
3	HAZARDOUS CONDITION - INSUFFICIENT INFO.
10	SPILL, LEAK WITH NO IGNITION
25	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	NATURAL GAS LEAK/ODOR
18	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
1	WATER CUTOFF / EVACUATION
2	SMOKE, ODOR REMOVAL
11	SERVICE CALL - NOT CLASSIFIED
21	GOOD INTENT CALL - INSUFFICIENT INFO.
32	SMOKE SCARE

2	WRONG LOCATION
4	STEAM, OTHER GAS MISTAKEN FOR SMOKE
53	GOOD INTENT CALL - NOT CLASSIFIED
2	FALSE CALL - INSUFFICIENT INFO.
15	MALICIOUS, MISCHIEVOUS FALSE CALL
76	SYSTEM MALFUNCTION
8	UNINTENTIONAL, ACCIDENTAL TRIP
1	FALSE CALL - NOT CLASSIFIED
3	CO DETECTOR ACTIVATED - CO FOUND
4	CO DETECTOR MALFUNCTION
<b>1,998</b>	
<b>California</b>	
1	STRUCTURE FIRE
1	VEHICLE FIRE
4	REFUSE FIRE
78	EMERGENCY MEDICAL CALL
1	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	RESCUE CALL - NOT CLASSIFIED
1	SPILL, LEAK WITH NO IGNITION
3	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	AIRCRAFT STANDBY
1	HAZARDOUS CONDITION - NOT CLASSIFIED
1	UNAUTHORIZED BURNING
2	SERVICE CALL - NOT CLASSIFIED
1	GOOD INTENT CALL - INSUFFICIENT INFO.
5	SMOKE SCARE
2	WRONG LOCATION
1	CONTROLLED BURNING
5	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
1	MALICIOUS, MISCHIEVOUS FALSE CALL
1	SYSTEM MALFUNCTION
<b>112</b>	
<b>Camp Washington</b>	

5	STRUCTURE FIRE
28	VEHICLE FIRE
7	REFUSE FIRE
1	FIRE, EXPLOSION - NOT CLASSIFIED
2	STEAM RUPTURE
567	EMERGENCY MEDICAL CALL
2	LOCK IN
8	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	RESCUE CALL - NOT CLASSIFIED
11	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
1	POWER LINE DOWN
5	ARCING, SHORTED ELECTRICAL EQUIPMENT
4	CHEMICAL EMERGENCY
3	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SMOKE, ODOR REMOVAL
5	ASSIST POLICE
6	SERVICE CALL - NOT CLASSIFIED
5	GOOD INTENT CALL - INSUFFICIENT INFO.
17	SMOKE SCARE
1	WRONG LOCATION
2	STEAM, OTHER GAS MISTAKEN FOR SMOKE
22	GOOD INTENT CALL - NOT CLASSIFIED
5	MALICIOUS, MISCHIEVOUS FALSE CALL
1	BOMB SCARE, NO BOMB
80	SYSTEM MALFUNCTION
4	UNINTENTIONAL, ACCIDENTAL TRIP
1	FALSE CALL - NOT CLASSIFIED
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
<b>797</b>	
<b>Carthage</b>	
7	STRUCTURE FIRE
9	VEHICLE FIRE
1	REFUSE FIRE
434	EMERGENCY MEDICAL CALL

5	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
3	RESCUE CALL - NOT CLASSIFIED
3	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
1	POWER LINE DOWN
4	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	NATURAL GAS LEAK/ODOR
5	HAZARDOUS CONDITION - NOT CLASSIFIED
1	WATER CUTOFF / EVACUATION
2	ASSIST POLICE
2	UNAUTHORIZED BURNING
1	SERVICE CALL - NOT CLASSIFIED
9	GOOD INTENT CALL - INSUFFICIENT INFO.
9	SMOKE SCARE
12	GOOD INTENT CALL - NOT CLASSIFIED
1	MALICIOUS, MISCHIEVOUS FALSE CALL
28	SYSTEM MALFUNCTION
3	UNINTENTIONAL, ACCIDENTAL TRIP
2	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	NO CO DETECTOR PRESENT - CO ABOVE ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
1	CO DETECTOR MALFUNCTION
<b>547</b>	
<b>CBD / Riverfront</b>	
35	STRUCTURE FIRE
3	OUTSIDE OF STRUCTURE FIRE
20	VEHICLE FIRE
3	TREES, BRUSH, GRASS FIRE
41	REFUSE FIRE
1	STEAM RUPTURE
1	INHALATOR CALL
2,509	EMERGENCY MEDICAL CALL
12	LOCK IN
47	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
14	RESCUE CALL - NOT CLASSIFIED

8	HAZARDOUS CONDITION - INSUFFICIENT INFO.
14	SPILL, LEAK WITH NO IGNITION
24	EXPLOSIVE, BOMB REMOVAL
2	EXCESSIVE HEAT
1	POWER LINE DOWN
8	ARCING, SHORTED ELECTRICAL EQUIPMENT
9	CHEMICAL EMERGENCY
14	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
1	LOCK-OUT
11	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
2	ASSIST POLICE
5	UNAUTHORIZED BURNING
34	SERVICE CALL - NOT CLASSIFIED
16	GOOD INTENT CALL - INSUFFICIENT INFO.
80	SMOKE SCARE
2	WRONG LOCATION
1	CONTROLLED BURNING
1	VICINITY ALARM (INCL MULTIPLE BOXES FOR 1 FIRE)
6	STEAM, OTHER GAS MISTAKEN FOR SMOKE
99	GOOD INTENT CALL - NOT CLASSIFIED
3	FALSE CALL - INSUFFICIENT INFO.
27	MALICIOUS, MISCHIEVOUS FALSE CALL
5	BOMB SCARE, NO BOMB
447	SYSTEM MALFUNCTION
58	UNINTENTIONAL, ACCIDENTAL TRIP
2	FALSE CALL - NOT CLASSIFIED
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
<b>3,569</b>	
<b>Clifton</b>	
25	STRUCTURE FIRE
2	OUTSIDE OF STRUCTURE FIRE
8	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE

1	REFUSE FIRE
1	STEAM RUPTURE
923	EMERGENCY MEDICAL CALL
5	LOCK IN
8	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
5	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
7	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
1	EXCESSIVE HEAT
4	POWER LINE DOWN
26	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	CHEMICAL EMERGENCY
12	HAZARDOUS CONDITION - NOT CLASSIFIED
2	LOCK-OUT
4	WATER CUTOFF / EVACUATION
3	SMOKE, ODOR REMOVAL
3	ASSIST POLICE
1	UNAUTHORIZED BURNING
8	SERVICE CALL - NOT CLASSIFIED
7	GOOD INTENT CALL - INSUFFICIENT INFO.
31	SMOKE SCARE
2	CONTROLLED BURNING
1	VICINITY ALARM (INCL MULTIPLE BOXES FOR 1 FIRE)
7	STEAM, OTHER GAS MISTAKEN FOR SMOKE
47	GOOD INTENT CALL - NOT CLASSIFIED
4	MALICIOUS, MISCHIEVOUS FALSE CALL
130	SYSTEM MALFUNCTION
19	UNINTENTIONAL, ACCIDENTAL TRIP
5	FALSE CALL - NOT CLASSIFIED
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO FOUND
3	CO DETECTOR MALFUNCTION
<b>1,313</b>	

College Hill	
46	STRUCTURE FIRE
5	OUTSIDE OF STRUCTURE FIRE
15	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
3	REFUSE FIRE
1	FIRE, EXPLOSION - NOT CLASSIFIED
1	STEAM RUPTURE
1,636	EMERGENCY MEDICAL CALL
11	LOCK IN
10	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
2	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
4	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
1	EXCESSIVE HEAT
5	POWER LINE DOWN
22	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
15	HAZARDOUS CONDITION - NOT CLASSIFIED
4	LOCK-OUT
1	SMOKE, ODOR REMOVAL
5	ASSIST POLICE
2	UNAUTHORIZED BURNING
11	SERVICE CALL - NOT CLASSIFIED
11	GOOD INTENT CALL - INSUFFICIENT INFO.
54	SMOKE SCARE
1	CONTROLLED BURNING
35	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
6	MALICIOUS, MISCHIEVOUS FALSE CALL
74	SYSTEM MALFUNCTION
33	UNINTENTIONAL, ACCIDENTAL TRIP
4	FALSE CALL - NOT CLASSIFIED
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL



3	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
5	CO DETECTOR ACTIVATED - CO FOUND
2	CO DETECTOR MALFUNCTION
<b>2,034</b>	
<b>Columbia / Tusculum</b>	
4	STRUCTURE FIRE
3	VEHICLE FIRE
2	REFUSE FIRE
280	EMERGENCY MEDICAL CALL
1	LOCK IN
4	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
2	RESCUE CALL - NOT CLASSIFIED
1	SPILL, LEAK WITH NO IGNITION
1	POWER LINE DOWN
7	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	HAZARDOUS CONDITION - NOT CLASSIFIED
2	SMOKE, ODOR REMOVAL
1	UNAUTHORIZED BURNING
10	SMOKE SCARE
1	WRONG LOCATION
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
10	GOOD INTENT CALL - NOT CLASSIFIED
1	MALICIOUS, MISCHIEVOUS FALSE CALL
49	SYSTEM MALFUNCTION
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	CO DETECTOR MALFUNCTION
<b>384</b>	
<b>Corryville</b>	
26	STRUCTURE FIRE
6	OUTSIDE OF STRUCTURE FIRE
12	VEHICLE FIRE
2	TREES, BRUSH, GRASS FIRE
9	REFUSE FIRE
1	AIR, GAS RUPTURE

692	EMERGENCY MEDICAL CALL
8	LOCK IN
18	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
6	SPILL, LEAK WITH NO IGNITION
1	POWER LINE DOWN
10	ARCING, SHORTED ELECTRICAL EQUIPMENT
3	CHEMICAL EMERGENCY
15	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
3	LOCK-OUT
4	WATER CUTOFF / EVACUATION
2	ASSIST POLICE
5	SERVICE CALL - NOT CLASSIFIED
5	GOOD INTENT CALL - INSUFFICIENT INFO.
20	SMOKE SCARE
1	WRONG LOCATION
2	VICINITY ALARM (INCL MULTIPLE BOXES FOR 1 FIRE)
3	STEAM, OTHER GAS MISTAKEN FOR SMOKE
18	GOOD INTENT CALL - NOT CLASSIFIED
12	MALICIOUS, MISCHIEVOUS FALSE CALL
117	SYSTEM MALFUNCTION
23	UNINTENTIONAL, ACCIDENTAL TRIP
3	NO CO DETECTOR PRESENT - CO ABOVE ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
<b>1,031</b>	
<b>CUF</b>	
31	STRUCTURE FIRE
3	OUTSIDE OF STRUCTURE FIRE
17	VEHICLE FIRE
2	TREES, BRUSH, GRASS FIRE
26	REFUSE FIRE
1	STEAM RUPTURE
1	OVERPRESSURE RUPTURE - NOT CLASSIFIED

1,230	EMERGENCY MEDICAL CALL
10	LOCK IN
8	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
3	RESCUE CALL - NOT CLASSIFIED
2	HAZARDOUS CONDITION - INSUFFICIENT INFO.
6	SPILL, LEAK WITH NO IGNITION
2	EXPLOSIVE, BOMB REMOVAL
4	POWER LINE DOWN
20	ARCING, SHORTED ELECTRICAL EQUIPMENT
3	CHEMICAL EMERGENCY
1	NATURAL GAS LEAK/ODOR
15	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT
5	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
4	ASSIST POLICE
3	UNAUTHORIZED BURNING
10	SERVICE CALL - NOT CLASSIFIED
10	GOOD INTENT CALL - INSUFFICIENT INFO.
31	SMOKE SCARE
2	WRONG LOCATION
2	CONTROLLED BURNING
4	STEAM, OTHER GAS MISTAKEN FOR SMOKE
51	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
15	MALICIOUS, MISCHIEVOUS FALSE CALL
150	SYSTEM MALFUNCTION
9	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
2	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
4	CO DETECTOR ACTIVATED - CO FOUND
6	CO DETECTOR MALFUNCTION
1,697	
<b>East End</b>	
5	STRUCTURE FIRE

5	OUTSIDE OF STRUCTURE FIRE
2	VEHICLE FIRE
10	REFUSE FIRE
1	AIR, GAS RUPTURE
251	EMERGENCY MEDICAL CALL
5	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
5	SPILL, LEAK WITH NO IGNITION
6	ARCING, SHORTED ELECTRICAL EQUIPMENT
12	AIRCRAFT STANDBY
1	CHEMICAL EMERGENCY
3	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
1	LOCK-OUT
2	ASSIST POLICE
1	UNAUTHORIZED BURNING
5	SERVICE CALL - NOT CLASSIFIED
5	GOOD INTENT CALL - INSUFFICIENT INFO.
5	SMOKE SCARE
2	CONTROLLED BURNING
3	STEAM, OTHER GAS MISTAKEN FOR SMOKE
19	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
18	SYSTEM MALFUNCTION
4	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR MALFUNCTION
<b>376</b>	
<b>East Price Hill</b>	
46	STRUCTURE FIRE
8	OUTSIDE OF STRUCTURE FIRE
19	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
18	REFUSE FIRE
1	OUTSIDE SPILL, LEAKING WITH ENSUING FIRE

1	AIR, GAS RUPTURE
1	RESCUE CALL - INSUFFICIENT INFO.
2,118	EMERGENCY MEDICAL CALL
11	LOCK IN
7	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
4	RESCUE CALL - NOT CLASSIFIED
3	HAZARDOUS CONDITION - INSUFFICIENT INFO.
14	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
2	EXCESSIVE HEAT
6	POWER LINE DOWN
23	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	CHEMICAL EMERGENCY
1	NATURAL GAS LEAK/ODOR
18	HAZARDOUS CONDITION - NOT CLASSIFIED
3	LOCK-OUT
4	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
6	ASSIST POLICE
6	UNAUTHORIZED BURNING
13	SERVICE CALL - NOT CLASSIFIED
11	GOOD INTENT CALL - INSUFFICIENT INFO.
36	SMOKE SCARE
3	CONTROLLED BURNING
2	STEAM, OTHER GAS MISTAKEN FOR SMOKE
56	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
8	MALICIOUS, MISCHIEVOUS FALSE CALL
57	SYSTEM MALFUNCTION
20	UNINTENTIONAL, ACCIDENTAL TRIP
1	FALSE CALL - NOT CLASSIFIED
3	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	NO CO DETECTOR PRESENT - CO ABOVE ACTION LEVEL
3	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
3	CO DETECTOR ACTIVATED - CO FOUND

5	CO DETECTOR MALFUNCTION
1	CO DETECTOR DID NOT ACTIVATE - CO FOUND
<b>2,549</b>	
<b>East Walnut Hills</b>	
13	STRUCTURE FIRE
2	VEHICLE FIRE
3	REFUSE FIRE
1	OVERPRESSURE RUPTURE - NOT CLASSIFIED
496	EMERGENCY MEDICAL CALL
5	LOCK IN
8	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
4	SPILL, LEAK WITH NO IGNITION
2	POWER LINE DOWN
9	ARCING, SHORTED ELECTRICAL EQUIPMENT
4	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
1	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
1	ASSIST POLICE
3	SERVICE CALL - NOT CLASSIFIED
9	GOOD INTENT CALL - INSUFFICIENT INFO.
19	SMOKE SCARE
2	CONTROLLED BURNING
8	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
4	MALICIOUS, MISCHIEVOUS FALSE CALL
61	SYSTEM MALFUNCTION
5	UNINTENTIONAL, ACCIDENTAL TRIP
<b>663</b>	
<b>East Westwood</b>	
12	STRUCTURE FIRE
6	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
1	REFUSE FIRE

1	AIR, GAS RUPTURE
357	EMERGENCY MEDICAL CALL
1	LOCK IN
1	RESCUE CALL - NOT CLASSIFIED
3	SPILL, LEAK WITH NO IGNITION
2	ARCING, SHORTED ELECTRICAL EQUIPMENT
3	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
1	LOCK-OUT
2	WATER CUTOFF / EVACUATION
5	ASSIST POLICE
3	SERVICE CALL - NOT CLASSIFIED
3	SMOKE SCARE
5	GOOD INTENT CALL - NOT CLASSIFIED
6	MALICIOUS, MISCHIEVOUS FALSE CALL
9	SYSTEM MALFUNCTION
1	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR MALFUNCTION
425	
<b>English Woods</b>	
14	STRUCTURE FIRE
5	OUTSIDE OF STRUCTURE FIRE
9	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
10	REFUSE FIRE
815	EMERGENCY MEDICAL CALL
12	LOCK IN
1	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
5	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
4	HAZARDOUS CONDITION - NOT CLASSIFIED
4	LOCK-OUT
8	WATER CUTOFF / EVACUATION
1	ANIMAL RESCUE

2	ASSIST POLICE
3	SERVICE CALL - NOT CLASSIFIED
19	SMOKE SCARE
1	CONTROLLED BURNING
26	GOOD INTENT CALL - NOT CLASSIFIED
14	MALICIOUS, MISCHIEVOUS FALSE CALL
50	SYSTEM MALFUNCTION
5	UNINTENTIONAL, ACCIDENTAL TRIP
<b>1,011</b>	
<b>Evanston</b>	
1	FIRE, EXPLOSION - INSUFFICIENT INFO.
34	STRUCTURE FIRE
3	OUTSIDE OF STRUCTURE FIRE
15	VEHICLE FIRE
2	TREES, BRUSH, GRASS FIRE
17	REFUSE FIRE
1,131	EMERGENCY MEDICAL CALL
7	LOCK IN
2	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
3	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
6	SPILL, LEAK WITH NO IGNITION
11	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	NATURAL GAS LEAK/ODOR
12	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
2	LOCK-OUT
1	ASSIST POLICE
1	UNAUTHORIZED BURNING
1	GAS CUTOFF
13	SERVICE CALL - NOT CLASSIFIED
17	GOOD INTENT CALL - INSUFFICIENT INFO.
43	SMOKE SCARE
2	WRONG LOCATION
2	VICINITY ALARM (INCL MULTIPLE BOXES FOR 1 FIRE)



2	STEAM, OTHER GAS MISTAKEN FOR SMOKE
22	GOOD INTENT CALL - NOT CLASSIFIED
20	MALICIOUS, MISCHIEVOUS FALSE CALL
75	SYSTEM MALFUNCTION
9	UNINTENTIONAL, ACCIDENTAL TRIP
3	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO FOUND
1	CO DETECTOR MALFUNCTION
<b>1,463</b>	
<b>Fay Apartments</b>	
4	STRUCTURE FIRE
3	OUTSIDE OF STRUCTURE FIRE
4	VEHICLE FIRE
6	REFUSE FIRE
493	EMERGENCY MEDICAL CALL
4	ARCING, SHORTED ELECTRICAL EQUIPMENT
3	HAZARDOUS CONDITION - NOT CLASSIFIED
2	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
7	SERVICE CALL - NOT CLASSIFIED
7	SMOKE SCARE
3	GOOD INTENT CALL - NOT CLASSIFIED
5	MALICIOUS, MISCHIEVOUS FALSE CALL
5	SYSTEM MALFUNCTION
2	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
<b>550</b>	
<b>Hartwell</b>	
13	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
6	VEHICLE FIRE
4	REFUSE FIRE
1	FIRE, EXPLOSION - NOT CLASSIFIED
594	EMERGENCY MEDICAL CALL

4	LOCK IN
3	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	EXPLOSIVE, BOMB REMOVAL
3	POWER LINE DOWN
10	ARCING, SHORTED ELECTRICAL EQUIPMENT
3	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT
1	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
7	GOOD INTENT CALL - INSUFFICIENT INFO.
14	SMOKE SCARE
18	GOOD INTENT CALL - NOT CLASSIFIED
4	MALICIOUS, MISCHIEVOUS FALSE CALL
51	SYSTEM MALFUNCTION
2	UNINTENTIONAL, ACCIDENTAL TRIP
1	FALSE CALL - NOT CLASSIFIED
2	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
3	CO DETECTOR MALFUNCTION
<b>748</b>	
<b>Hyde Park</b>	
24	STRUCTURE FIRE
2	OUTSIDE OF STRUCTURE FIRE
6	VEHICLE FIRE
3	TREES, BRUSH, GRASS FIRE
6	REFUSE FIRE
1	RESCUE CALL - INSUFFICIENT INFO.
676	EMERGENCY MEDICAL CALL
8	LOCK IN
4	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
4	SPILL, LEAK WITH NO IGNITION
7	POWER LINE DOWN
23	ARCING, SHORTED ELECTRICAL EQUIPMENT
15	HAZARDOUS CONDITION - NOT CLASSIFIED
2	WATER CUTOFF / EVACUATION

2	SMOKE, ODOR REMOVAL
1	ASSIST POLICE
3	UNAUTHORIZED BURNING
8	SERVICE CALL - NOT CLASSIFIED
2	GOOD INTENT CALL - INSUFFICIENT INFO.
30	SMOKE SCARE
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
31	GOOD INTENT CALL - NOT CLASSIFIED
1	MALICIOUS, MISCHIEVOUS FALSE CALL
145	SYSTEM MALFUNCTION
20	UNINTENTIONAL, ACCIDENTAL TRIP
2	FALSE CALL - NOT CLASSIFIED
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
3	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
8	CO DETECTOR MALFUNCTION
<b>1,040</b>	

<b>Kennedy Heights</b>	
19	STRUCTURE FIRE
3	OUTSIDE OF STRUCTURE FIRE
7	VEHICLE FIRE
2	TREES, BRUSH, GRASS FIRE
8	REFUSE FIRE
543	EMERGENCY MEDICAL CALL
3	LOCK IN
3	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
2	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
2	POWER LINE DOWN
4	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	NATURAL GAS LEAK/ODOR
10	HAZARDOUS CONDITION - NOT CLASSIFIED
2	ASSIST POLICE
1	UNAUTHORIZED BURNING
2	SERVICE CALL - NOT CLASSIFIED
4	GOOD INTENT CALL - INSUFFICIENT INFO.

13	SMOKE SCARE
1	CONTROLLED BURNING
12	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
3	MALICIOUS, MISCHIEVOUS FALSE CALL
18	SYSTEM MALFUNCTION
5	UNINTENTIONAL, ACCIDENTAL TRIP
1	FALSE CALL - NOT CLASSIFIED
3	CO DETECTOR ACTIVATED - CO FOUND
5	CO DETECTOR MALFUNCTION
<b>679</b>	
<b>Linwood</b>	
10	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
2	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
1	REFUSE FIRE
84	EMERGENCY MEDICAL CALL
1	LOCK IN
1	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	SPILL, LEAK WITH NO IGNITION
1	POWER LINE DOWN
3	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	HAZARDOUS CONDITION - NOT CLASSIFIED
2	SERVICE CALL - NOT CLASSIFIED
2	GOOD INTENT CALL - INSUFFICIENT INFO.
8	SMOKE SCARE
1	WRONG LOCATION
2	CONTROLLED BURNING
4	GOOD INTENT CALL - NOT CLASSIFIED
18	SYSTEM MALFUNCTION
1	UNINTENTIONAL, ACCIDENTAL TRIP
<b>145</b>	
<b>Lower Price Hill</b>	

11	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
7	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
6	REFUSE FIRE
2	AIR, GAS RUPTURE
1	OVERPRESSURE RUPTURE - NOT CLASSIFIED
499	EMERGENCY MEDICAL CALL
5	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
2	RESCUE CALL - NOT CLASSIFIED
7	SPILL, LEAK WITH NO IGNITION
1	EXCESSIVE HEAT
1	POWER LINE DOWN
6	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
1	NATURAL GAS LEAK/ODOR
11	HAZARDOUS CONDITION - NOT CLASSIFIED
4	UNAUTHORIZED BURNING
6	SERVICE CALL - NOT CLASSIFIED
9	GOOD INTENT CALL - INSUFFICIENT INFO.
12	SMOKE SCARE
2	CONTROLLED BURNING
17	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
4	MALICIOUS, MISCHIEVOUS FALSE CALL
33	SYSTEM MALFUNCTION
4	UNINTENTIONAL, ACCIDENTAL TRIP
<b>655</b>	
<b>Madisonville</b>	
32	STRUCTURE FIRE
3	OUTSIDE OF STRUCTURE FIRE
13	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
20	REFUSE FIRE
1	STEAM RUPTURE

1	RESCUE CALL - INSUFFICIENT INFO.
1,294	EMERGENCY MEDICAL CALL
4	LOCK IN
4	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
3	RESCUE CALL - NOT CLASSIFIED
4	HAZARDOUS CONDITION - INSUFFICIENT INFO.
7	SPILL, LEAK WITH NO IGNITION
8	POWER LINE DOWN
18	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
22	HAZARDOUS CONDITION - NOT CLASSIFIED
2	SERVICE CALL - INSUFFICIENT INFO.
5	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
2	UNAUTHORIZED BURNING
13	SERVICE CALL - NOT CLASSIFIED
4	GOOD INTENT CALL - INSUFFICIENT INFO.
28	SMOKE SCARE
1	CONTROLLED BURNING
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
34	GOOD INTENT CALL - NOT CLASSIFIED
2	FALSE CALL - INSUFFICIENT INFO.
14	MALICIOUS, MISCHIEVOUS FALSE CALL
73	SYSTEM MALFUNCTION
16	UNINTENTIONAL, ACCIDENTAL TRIP
2	FALSE CALL - NOT CLASSIFIED
2	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO FOUND
11	CO DETECTOR MALFUNCTION
<b>1,648</b>	
<b>Millvale</b>	
8	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
5	VEHICLE FIRE
2	TREES, BRUSH, GRASS FIRE

8	REFUSE FIRE
327	EMERGENCY MEDICAL CALL
2	LOCK IN
1	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
2	RESCUE CALL - NOT CLASSIFIED
1	SPILL, LEAK WITH NO IGNITION
3	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
3	HAZARDOUS CONDITION - NOT CLASSIFIED
1	ASSIST POLICE
5	SERVICE CALL - NOT CLASSIFIED
1	GOOD INTENT CALL - INSUFFICIENT INFO.
5	SMOKE SCARE
8	GOOD INTENT CALL - NOT CLASSIFIED
8	MALICIOUS, MISCHIEVOUS FALSE CALL
11	SYSTEM MALFUNCTION
1	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
<b>405</b>	
<b>Mount Adams</b>	
2	STRUCTURE FIRE
3	VEHICLE FIRE
1	REFUSE FIRE
1	STEAM RUPTURE
134	EMERGENCY MEDICAL CALL
1	LOCK IN
3	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	SPILL, LEAK WITH NO IGNITION
3	EXPLOSIVE, BOMB REMOVAL
2	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
1	ASSIST POLICE
1	UNAUTHORIZED BURNING
2	SMOKE SCARE
1	WRONG LOCATION

2	STEAM, OTHER GAS MISTAKEN FOR SMOKE
10	GOOD INTENT CALL - NOT CLASSIFIED
1	MALICIOUS, MISCHIEVOUS FALSE CALL
33	SYSTEM MALFUNCTION
8	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR MALFUNCTION
<b>212</b>	
<b>Mount Airy</b>	
28	STRUCTURE FIRE
5	OUTSIDE OF STRUCTURE FIRE
12	VEHICLE FIRE
3	TREES, BRUSH, GRASS FIRE
5	REFUSE FIRE
727	EMERGENCY MEDICAL CALL
13	LOCK IN
2	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
2	RESCUE CALL - NOT CLASSIFIED
3	HAZARDOUS CONDITION - INSUFFICIENT INFO.
8	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
2	POWER LINE DOWN
18	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	AIRCRAFT STANDBY
4	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
2	LOCK-OUT
1	WATER CUTOFF / EVACUATION
8	ASSIST POLICE
1	UNAUTHORIZED BURNING
5	SERVICE CALL - NOT CLASSIFIED
5	GOOD INTENT CALL - INSUFFICIENT INFO.
29	SMOKE SCARE
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
26	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.



5	MALICIOUS, MISCHIEVOUS FALSE CALL
35	SYSTEM MALFUNCTION
6	UNINTENTIONAL, ACCIDENTAL TRIP
1	FALSE CALL - NOT CLASSIFIED
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
3	CO DETECTOR ACTIVATED - CO FOUND
<b>966</b>	
<b>Mount Auburn</b>	
35	STRUCTURE FIRE
4	OUTSIDE OF STRUCTURE FIRE
8	VEHICLE FIRE
10	REFUSE FIRE
1	AIR, GAS RUPTURE
807	EMERGENCY MEDICAL CALL
3	LOCK IN
5	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
4	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
3	SPILL, LEAK WITH NO IGNITION
1	POWER LINE DOWN
15	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
1	NATURAL GAS LEAK/ODOR
9	HAZARDOUS CONDITION - NOT CLASSIFIED
2	LOCK-OUT
6	ASSIST POLICE
4	UNAUTHORIZED BURNING
3	SERVICE CALL - NOT CLASSIFIED
2	GOOD INTENT CALL - INSUFFICIENT INFO.
13	SMOKE SCARE
2	STEAM, OTHER GAS MISTAKEN FOR SMOKE
34	GOOD INTENT CALL - NOT CLASSIFIED
5	MALICIOUS, MISCHIEVOUS FALSE CALL
1	BOMB SCARE, NO BOMB

108	SYSTEM MALFUNCTION
18	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
2	CO DETECTOR MALFUNCTION
<b>1,109</b>	
<b>Mount Lookout</b>	
13	STRUCTURE FIRE
1	VEHICLE FIRE
2	REFUSE FIRE
197	EMERGENCY MEDICAL CALL
3	LOCK IN
1	SPILL, LEAK WITH NO IGNITION
2	EXCESSIVE HEAT
4	POWER LINE DOWN
6	ARCING, SHORTED ELECTRICAL EQUIPMENT
10	HAZARDOUS CONDITION - NOT CLASSIFIED
2	ASSIST POLICE
1	SERVICE CALL - NOT CLASSIFIED
1	GOOD INTENT CALL - INSUFFICIENT INFO.
4	SMOKE SCARE
1	CONTROLLED BURNING
12	GOOD INTENT CALL - NOT CLASSIFIED
28	SYSTEM MALFUNCTION
5	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
<b>294</b>	
<b>Mount Washington</b>	
19	STRUCTURE FIRE
2	OUTSIDE OF STRUCTURE FIRE
7	VEHICLE FIRE
3	TREES, BRUSH, GRASS FIRE
7	REFUSE FIRE
928	EMERGENCY MEDICAL CALL
7	LOCK IN

3	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	RESCUE CALL - NOT CLASSIFIED
3	SPILL, LEAK WITH NO IGNITION
3	POWER LINE DOWN
24	ARCING, SHORTED ELECTRICAL EQUIPMENT
3	CHEMICAL EMERGENCY
2	NATURAL GAS LEAK/ODOR
17	HAZARDOUS CONDITION - NOT CLASSIFIED
3	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
1	ASSIST POLICE
1	UNAUTHORIZED BURNING
1	COVER ASSIGNMENT (STANDBY AT STATION, MOVE-UP)
12	SERVICE CALL - NOT CLASSIFIED
4	GOOD INTENT CALL - INSUFFICIENT INFO.
21	SMOKE SCARE
1	CONTROLLED BURNING
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
20	GOOD INTENT CALL - NOT CLASSIFIED
4	MALICIOUS, MISCHIEVOUS FALSE CALL
44	SYSTEM MALFUNCTION
6	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
5	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
2	CO DETECTOR ACTIVATED - CO FOUND
5	CO DETECTOR MALFUNCTION
<b>1,162</b>	
<b>North Avondale</b>	
37	STRUCTURE FIRE
14	VEHICLE FIRE
11	REFUSE FIRE
1	EXPLOSION, NO AFTER-FIRE
1,130	EMERGENCY MEDICAL CALL
10	LOCK IN
8	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)

1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
1	SPILL, LEAK WITH NO IGNITION
5	POWER LINE DOWN
9	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	AIRCRAFT STANDBY
1	NATURAL GAS LEAK/ODOR
12	HAZARDOUS CONDITION - NOT CLASSIFIED
3	LOCK-OUT
3	WATER CUTOFF / EVACUATION
5	SMOKE, ODOR REMOVAL
1	ASSIST POLICE
2	UNAUTHORIZED BURNING
7	SERVICE CALL - NOT CLASSIFIED
7	GOOD INTENT CALL - INSUFFICIENT INFO.
23	SMOKE SCARE
1	CONTROLLED BURNING
1	VICINITY ALARM (INCL MULTIPLE BOXES FOR 1 FIRE)
30	GOOD INTENT CALL - NOT CLASSIFIED
7	MALICIOUS, MISCHIEVOUS FALSE CALL
115	SYSTEM MALFUNCTION
17	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR MALFUNCTION
<b>1,464</b>	
<b>North Fairmount</b>	
10	STRUCTURE FIRE
2	VEHICLE FIRE
3	REFUSE FIRE
302	EMERGENCY MEDICAL CALL
2	LOCK IN
1	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	SPILL, LEAK WITH NO IGNITION
1	POWER LINE DOWN
6	ARCING, SHORTED ELECTRICAL EQUIPMENT
3	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT

1	WATER CUTOFF / EVACUATION
2	ASSIST POLICE
3	UNAUTHORIZED BURNING
2	SERVICE CALL - NOT CLASSIFIED
5	SMOKE SCARE
4	GOOD INTENT CALL - NOT CLASSIFIED
3	MALICIOUS, MISCHIEVOUS FALSE CALL
7	SYSTEM MALFUNCTION
1	UNINTENTIONAL, ACCIDENTAL TRIP
1	FALSE CALL - NOT CLASSIFIED
1	CO DETECTOR ACTIVATED - CO FOUND
<b>362</b>	
<b>Northside</b>	
45	STRUCTURE FIRE
2	OUTSIDE OF STRUCTURE FIRE
25	VEHICLE FIRE
4	TREES, BRUSH, GRASS FIRE
18	REFUSE FIRE
1,411	EMERGENCY MEDICAL CALL
8	LOCK IN
2	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
4	RESCUE CALL - NOT CLASSIFIED
15	SPILL, LEAK WITH NO IGNITION
2	EXCESSIVE HEAT
13	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	NATURAL GAS LEAK/ODOR
22	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT
19	ASSIST POLICE
22	SERVICE CALL - NOT CLASSIFIED
3	GOOD INTENT CALL - INSUFFICIENT INFO.
40	SMOKE SCARE
2	WRONG LOCATION
1	CONTROLLED BURNING
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE

60	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
14	MALICIOUS, MISCHIEVOUS FALSE CALL
51	SYSTEM MALFUNCTION
10	UNINTENTIONAL, ACCIDENTAL TRIP
3	CO DETECTOR MALFUNCTION
<b>1,801</b>	
<b>Oakley</b>	
1	FIRE, EXPLOSION - INSUFFICIENT INFO.
23	STRUCTURE FIRE
4	OUTSIDE OF STRUCTURE FIRE
16	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
17	REFUSE FIRE
1	STEAM RUPTURE
1,038	EMERGENCY MEDICAL CALL
11	LOCK IN
5	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
4	RESCUE CALL - NOT CLASSIFIED
7	SPILL, LEAK WITH NO IGNITION
2	EXPLOSIVE, BOMB REMOVAL
1	EXCESSIVE HEAT
3	POWER LINE DOWN
25	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	CHEMICAL EMERGENCY
1	NATURAL GAS LEAK/ODOR
23	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
1	LOCK-OUT
2	WATER CUTOFF / EVACUATION
2	SMOKE, ODOR REMOVAL
3	ASSIST POLICE
3	UNAUTHORIZED BURNING
10	SERVICE CALL - NOT CLASSIFIED
13	GOOD INTENT CALL - INSUFFICIENT INFO.

34	SMOKE SCARE
4	STEAM, OTHER GAS MISTAKEN FOR SMOKE
24	GOOD INTENT CALL - NOT CLASSIFIED
3	FALSE CALL - INSUFFICIENT INFO.
1	MALICIOUS, MISCHIEVOUS FALSE CALL
83	SYSTEM MALFUNCTION
4	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
5	CO DETECTOR ACTIVATED - CO FOUND
3	CO DETECTOR MALFUNCTION
<b>1,382</b>	
<b>Obryonville</b>	
1	VEHICLE FIRE
61	EMERGENCY MEDICAL CALL
1	HAZARDOUS CONDITION - NOT CLASSIFIED
1	GOOD INTENT CALL - NOT CLASSIFIED
8	SYSTEM MALFUNCTION
<b>72</b>	
<b>Over-the-Rhine</b>	
87	STRUCTURE FIRE
23	OUTSIDE OF STRUCTURE FIRE
20	VEHICLE FIRE
2	TREES, BRUSH, GRASS FIRE
81	REFUSE FIRE
1	STEAM RUPTURE
1	AIR, GAS RUPTURE
3,877	EMERGENCY MEDICAL CALL
13	LOCK IN
11	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
6	RESCUE CALL - NOT CLASSIFIED
5	HAZARDOUS CONDITION - INSUFFICIENT INFO.
7	SPILL, LEAK WITH NO IGNITION
2	EXPLOSIVE, BOMB REMOVAL
1	EXCESSIVE HEAT

27	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	NATURAL GAS LEAK/ODOR
10	HAZARDOUS CONDITION - NOT CLASSIFIED
2	SERVICE CALL - INSUFFICIENT INFO.
5	LOCK-OUT
10	WATER CUTOFF / EVACUATION
2	SMOKE, ODOR REMOVAL
13	ASSIST POLICE
5	UNAUTHORIZED BURNING
15	SERVICE CALL - NOT CLASSIFIED
4	GOOD INTENT CALL - INSUFFICIENT INFO.
39	SMOKE SCARE
3	STEAM, OTHER GAS MISTAKEN FOR SMOKE
129	GOOD INTENT CALL - NOT CLASSIFIED
44	MALICIOUS, MISCHIEVOUS FALSE CALL
192	SYSTEM MALFUNCTION
27	UNINTENTIONAL, ACCIDENTAL TRIP
1	FALSE CALL - NOT CLASSIFIED
1	CO DETECTOR MALFUNCTION
<b>4,668</b>	
<b>Paddock Hills</b>	
5	STRUCTURE FIRE
2	OUTSIDE OF STRUCTURE FIRE
5	VEHICLE FIRE
2	REFUSE FIRE
1	RESCUE CALL - INSUFFICIENT INFO.
221	EMERGENCY MEDICAL CALL
1	LOCK IN
11	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
3	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
3	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	WATER CUTOFF / EVACUATION
3	ASSIST POLICE



5	SERVICE CALL - NOT CLASSIFIED
3	GOOD INTENT CALL - INSUFFICIENT INFO.
5	SMOKE SCARE
5	GOOD INTENT CALL - NOT CLASSIFIED
1	MALICIOUS, MISCHIEVOUS FALSE CALL
66	SYSTEM MALFUNCTION
3	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
<b>349</b>	
<b>Pendleton</b>	
10	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
4	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
1	REFUSE FIRE
273	EMERGENCY MEDICAL CALL
1	LOCK IN
1	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
3	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
1	SPILL, LEAK WITH NO IGNITION
1	POWER LINE DOWN
4	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
2	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
3	ASSIST POLICE
3	SERVICE CALL - NOT CLASSIFIED
5	SMOKE SCARE
14	GOOD INTENT CALL - NOT CLASSIFIED
18	SYSTEM MALFUNCTION
2	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR MALFUNCTION
<b>354</b>	

<b>Pleasant Ridge</b>	
26	STRUCTURE FIRE
5	OUTSIDE OF STRUCTURE FIRE
11	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
4	REFUSE FIRE
691	EMERGENCY MEDICAL CALL
4	LOCK IN
2	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
5	RESCUE CALL - NOT CLASSIFIED
2	HAZARDOUS CONDITION - INSUFFICIENT INFO.
4	SPILL, LEAK WITH NO IGNITION
1	EXCESSIVE HEAT
4	POWER LINE DOWN
16	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	NATURAL GAS LEAK/ODOR
12	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT
2	ASSIST POLICE
10	SERVICE CALL - NOT CLASSIFIED
5	GOOD INTENT CALL - INSUFFICIENT INFO.
16	SMOKE SCARE
1	CONTROLLED BURNING
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
31	GOOD INTENT CALL - NOT CLASSIFIED
10	MALICIOUS, MISCHIEVOUS FALSE CALL
46	SYSTEM MALFUNCTION
11	UNINTENTIONAL, ACCIDENTAL TRIP
2	FALSE CALL - NOT CLASSIFIED
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
3	CO DETECTOR ACTIVATED - CO FOUND
2	CO DETECTOR MALFUNCTION
<b>933</b>	

<b>Queensgate</b>	
8	STRUCTURE FIRE
3	OUTSIDE OF STRUCTURE FIRE
19	VEHICLE FIRE
4	TREES, BRUSH, GRASS FIRE
10	REFUSE FIRE
430	EMERGENCY MEDICAL CALL
2	LOCK IN
12	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
2	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
8	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
2	EXCESSIVE HEAT
3	ARCING, SHORTED ELECTRICAL EQUIPMENT
3	CHEMICAL EMERGENCY
3	HAZARDOUS CONDITION - NOT CLASSIFIED
4	WATER CUTOFF / EVACUATION
2	ASSIST POLICE
2	UNAUTHORIZED BURNING
9	SERVICE CALL - NOT CLASSIFIED
6	GOOD INTENT CALL - INSUFFICIENT INFO.
6	SMOKE SCARE
4	WRONG LOCATION
2	VICINITY ALARM (INCL MULTIPLE BOXES FOR 1 FIRE)
2	STEAM, OTHER GAS MISTAKEN FOR SMOKE
28	GOOD INTENT CALL - NOT CLASSIFIED
3	MALICIOUS, MISCHIEVOUS FALSE CALL
99	SYSTEM MALFUNCTION
9	UNINTENTIONAL, ACCIDENTAL TRIP
1	FALSE CALL - NOT CLASSIFIED
<b>688</b>	
<b>Riverside</b>	
2	STRUCTURE FIRE

2	OUTSIDE OF STRUCTURE FIRE
2	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
4	REFUSE FIRE
225	EMERGENCY MEDICAL CALL
2	LOCK IN
2	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
2	RESCUE CALL - NOT CLASSIFIED
2	SPILL, LEAK WITH NO IGNITION
1	POWER LINE DOWN
3	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
2	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SMOKE, ODOR REMOVAL
2	ASSIST POLICE
6	SERVICE CALL - NOT CLASSIFIED
3	GOOD INTENT CALL - INSUFFICIENT INFO.
4	SMOKE SCARE
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
7	GOOD INTENT CALL - NOT CLASSIFIED
3	MALICIOUS, MISCHIEVOUS FALSE CALL
22	SYSTEM MALFUNCTION
4	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
2	CO DETECTOR MALFUNCTION
<b>307</b>	
<b>Roselawn</b>	
22	STRUCTURE FIRE
2	OUTSIDE OF STRUCTURE FIRE
14	VEHICLE FIRE
4	TREES, BRUSH, GRASS FIRE
15	REFUSE FIRE
1	FIRE, EXPLOSION - NOT CLASSIFIED
2	STEAM RUPTURE
1,138	EMERGENCY MEDICAL CALL

10	LOCK IN
10	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
4	RESCUE CALL - NOT CLASSIFIED
3	SPILL, LEAK WITH NO IGNITION
2	EXCESSIVE HEAT
1	POWER LINE DOWN
11	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	CHEMICAL EMERGENCY
10	HAZARDOUS CONDITION - NOT CLASSIFIED
2	WATER CUTOFF / EVACUATION
2	SMOKE, ODOR REMOVAL
3	ASSIST POLICE
1	UNAUTHORIZED BURNING
3	SERVICE CALL - NOT CLASSIFIED
11	GOOD INTENT CALL - INSUFFICIENT INFO.
26	SMOKE SCARE
2	WRONG LOCATION
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
39	GOOD INTENT CALL - NOT CLASSIFIED
12	MALICIOUS, MISCHIEVOUS FALSE CALL
69	SYSTEM MALFUNCTION
5	UNINTENTIONAL, ACCIDENTAL TRIP
2	FALSE CALL - NOT CLASSIFIED
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
2	CO DETECTOR MALFUNCTION
<b>1,432</b>	
<b>Sayler Park</b>	
1	FIRE, EXPLOSION - INSUFFICIENT INFO.
8	STRUCTURE FIRE
4	VEHICLE FIRE
2	TREES, BRUSH, GRASS FIRE
1	REFUSE FIRE
296	EMERGENCY MEDICAL CALL
2	LOCK IN
1	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)

2	RESCUE CALL - NOT CLASSIFIED
3	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
4	POWER LINE DOWN
18	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	NATURAL GAS LEAK/ODOR
2	HAZARDOUS CONDITION - NOT CLASSIFIED
1	WATER CUTOFF / EVACUATION
2	ASSIST POLICE
2	UNAUTHORIZED BURNING
2	SERVICE CALL - NOT CLASSIFIED
4	GOOD INTENT CALL - INSUFFICIENT INFO.
4	SMOKE SCARE
1	WRONG LOCATION
7	GOOD INTENT CALL - NOT CLASSIFIED
5	SYSTEM MALFUNCTION
1	CO DETECTOR ACTIVATED - CO FOUND
1	CO DETECTOR MALFUNCTION
<b>376</b>	

### Sedamsville

3	STRUCTURE FIRE
2	VEHICLE FIRE
3	REFUSE FIRE
173	EMERGENCY MEDICAL CALL
1	LOCK IN
1	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
3	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
1	POWER LINE DOWN
3	ARCING, SHORTED ELECTRICAL EQUIPMENT
4	HAZARDOUS CONDITION - NOT CLASSIFIED
1	ANIMAL RESCUE
2	ASSIST POLICE
1	SERVICE CALL - NOT CLASSIFIED
3	GOOD INTENT CALL - INSUFFICIENT INFO.

4	SMOKE SCARE
5	GOOD INTENT CALL - NOT CLASSIFIED
6	SYSTEM MALFUNCTION
1	UNINTENTIONAL, ACCIDENTAL TRIP
2	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO FOUND
<b>221</b>	
<b>South Cummins</b>	
7	STRUCTURE FIRE
5	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
4	REFUSE FIRE
161	EMERGENCY MEDICAL CALL
1	RESCUE CALL - NOT CLASSIFIED
1	POWER LINE DOWN
3	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	HAZARDOUS CONDITION - NOT CLASSIFIED
1	ASSIST POLICE
1	UNAUTHORIZED BURNING
4	SMOKE SCARE
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
4	GOOD INTENT CALL - NOT CLASSIFIED
5	MALICIOUS, MISCHIEVOUS FALSE CALL
16	SYSTEM MALFUNCTION
1	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR MALFUNCTION
<b>219</b>	
<b>South Fairmount</b>	
32	STRUCTURE FIRE
2	OUTSIDE OF STRUCTURE FIRE
21	VEHICLE FIRE
2	TREES, BRUSH, GRASS FIRE
11	REFUSE FIRE
1,143	EMERGENCY MEDICAL CALL

7	LOCK IN
6	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
5	RESCUE CALL - NOT CLASSIFIED
10	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
10	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
1	NATURAL GAS LEAK/ODOR
12	HAZARDOUS CONDITION - NOT CLASSIFIED
2	LOCK-OUT
3	WATER CUTOFF / EVACUATION
8	ASSIST POLICE
7	UNAUTHORIZED BURNING
12	SERVICE CALL - NOT CLASSIFIED
3	GOOD INTENT CALL - INSUFFICIENT INFO.
23	SMOKE SCARE
1	CONTROLLED BURNING
6	STEAM, OTHER GAS MISTAKEN FOR SMOKE
31	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
15	MALICIOUS, MISCHIEVOUS FALSE CALL
1	BOMB SCARE, NO BOMB
39	SYSTEM MALFUNCTION
6	UNINTENTIONAL, ACCIDENTAL TRIP
3	FALSE CALL - NOT CLASSIFIED
3	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
2	NO CO DETECTOR PRESENT - CO ABOVE ACTION LEVEL
2	CO DETECTOR MALFUNCTION
1,432	
<b>Walnut Hills</b>	
65	STRUCTURE FIRE
6	OUTSIDE OF STRUCTURE FIRE
34	VEHICLE FIRE
8	TREES, BRUSH, GRASS FIRE
26	REFUSE FIRE



1	OVERPRESSURE RUPTURE - INSUFFICIENT INFO.
2	STEAM RUPTURE
1	OVERPRESSURE RUPTURE - NOT CLASSIFIED
2,164	EMERGENCY MEDICAL CALL
17	LOCK IN
1	SEARCH
8	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
5	RESCUE CALL - NOT CLASSIFIED
3	HAZARDOUS CONDITION - INSUFFICIENT INFO.
7	SPILL, LEAK WITH NO IGNITION
6	POWER LINE DOWN
11	ARCING, SHORTED ELECTRICAL EQUIPMENT
3	CHEMICAL EMERGENCY
1	NATURAL GAS LEAK/ODOR
14	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
1	LOCK-OUT
4	WATER CUTOFF / EVACUATION
2	SMOKE, ODOR REMOVAL
3	ASSIST POLICE
12	SERVICE CALL - NOT CLASSIFIED
15	GOOD INTENT CALL - INSUFFICIENT INFO.
51	SMOKE SCARE
2	WRONG LOCATION
47	GOOD INTENT CALL - NOT CLASSIFIED
2	FALSE CALL - INSUFFICIENT INFO.
23	MALICIOUS, MISCHIEVOUS FALSE CALL
154	SYSTEM MALFUNCTION
17	UNINTENTIONAL, ACCIDENTAL TRIP
2	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO FOUND
2	CO DETECTOR MALFUNCTION
2,722	
<b>West End</b>	
52	STRUCTURE FIRE

9	OUTSIDE OF STRUCTURE FIRE
26	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
53	REFUSE FIRE
2,090	EMERGENCY MEDICAL CALL
11	LOCK IN
19	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
3	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
6	SPILL, LEAK WITH NO IGNITION
2	EXPLOSIVE, BOMB REMOVAL
1	EXCESSIVE HEAT
5	POWER LINE DOWN
13	ARCING, SHORTED ELECTRICAL EQUIPMENT
3	NATURAL GAS LEAK/ODOR
12	HAZARDOUS CONDITION - NOT CLASSIFIED
10	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
6	ASSIST POLICE
2	UNAUTHORIZED BURNING
11	SERVICE CALL - NOT CLASSIFIED
4	GOOD INTENT CALL - INSUFFICIENT INFO.
20	SMOKE SCARE
1	CONTROLLED BURNING
5	STEAM, OTHER GAS MISTAKEN FOR SMOKE
74	GOOD INTENT CALL - NOT CLASSIFIED
30	MALICIOUS, MISCHIEVOUS FALSE CALL
82	SYSTEM MALFUNCTION
15	UNINTENTIONAL, ACCIDENTAL TRIP
1	FALSE CALL - NOT CLASSIFIED
1	NO CO DETECTOR PRESENT - CO ABOVE ACTION LEVEL
2	CO DETECTOR ACTIVATED - CO FOUND
2	CO DETECTOR MALFUNCTION
2,574	
<b>West Price Hill</b>	

42	STRUCTURE FIRE
7	OUTSIDE OF STRUCTURE FIRE
18	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
21	REFUSE FIRE
1	FIRE, EXPLOSION - NOT CLASSIFIED
1,987	EMERGENCY MEDICAL CALL
7	LOCK IN
10	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
4	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
11	SPILL, LEAK WITH NO IGNITION
3	EXPLOSIVE, BOMB REMOVAL
1	EXCESSIVE HEAT
7	POWER LINE DOWN
28	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
1	NATURAL GAS LEAK/ODOR
31	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT
3	WATER CUTOFF / EVACUATION
14	ASSIST POLICE
7	UNAUTHORIZED BURNING
1	GAS CUTOFF
9	SERVICE CALL - NOT CLASSIFIED
5	GOOD INTENT CALL - INSUFFICIENT INFO.
53	SMOKE SCARE
1	WRONG LOCATION
3	STEAM, OTHER GAS MISTAKEN FOR SMOKE
43	GOOD INTENT CALL - NOT CLASSIFIED
9	MALICIOUS, MISCHIEVOUS FALSE CALL
43	SYSTEM MALFUNCTION
25	UNINTENTIONAL, ACCIDENTAL TRIP
1	FALSE CALL - NOT CLASSIFIED
5	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL

5	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
5	CO DETECTOR ACTIVATED - CO FOUND
2	CO DETECTOR ACTIVATED - VICTIM(S) TO HOSPITAL
7	CO DETECTOR MALFUNCTION
<b>2,424</b>	
<b>Westwood</b>	
1	FIRE, EXPLOSION - INSUFFICIENT INFO.
82	STRUCTURE FIRE
3	OUTSIDE OF STRUCTURE FIRE
57	VEHICLE FIRE
7	TREES, BRUSH, GRASS FIRE
28	REFUSE FIRE
1	OVERPRESSURE RUPTURE - INSUFFICIENT INFO.
1	RESCUE CALL - INSUFFICIENT INFO.
3,004	EMERGENCY MEDICAL CALL
42	LOCK IN
1	SEARCH
16	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
6	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
21	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
8	EXCESSIVE HEAT
8	POWER LINE DOWN
52	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	CHEMICAL EMERGENCY
2	NATURAL GAS LEAK/ODOR
21	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
2	LOCK-OUT
13	WATER CUTOFF / EVACUATION
2	SMOKE, ODOR REMOVAL
1	ANIMAL RESCUE
18	ASSIST POLICE
3	UNAUTHORIZED BURNING

1	GAS CUTOFF
20	SERVICE CALL - NOT CLASSIFIED
7	GOOD INTENT CALL - INSUFFICIENT INFO.
66	SMOKE SCARE
2	WRONG LOCATION
1	CONTROLLED BURNING
2	STEAM, OTHER GAS MISTAKEN FOR SMOKE
102	GOOD INTENT CALL - NOT CLASSIFIED
2	FALSE CALL - INSUFFICIENT INFO.
26	MALICIOUS, MISCHIEVOUS FALSE CALL
161	SYSTEM MALFUNCTION
43	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
2	NO CO DETECTOR PRESENT - CO ABOVE ACTION LEVEL
1	NO CO DETECTOR PRESENT - VICTIM(S) TO HOSPITAL
8	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
4	CO DETECTOR ACTIVATED - CO FOUND
10	CO DETECTOR MALFUNCTION
<b>3,864</b>	
<b>Winton Hills</b>	
18	STRUCTURE FIRE
6	OUTSIDE OF STRUCTURE FIRE
6	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
12	REFUSE FIRE
1	FIRE, EXPLOSION - NOT CLASSIFIED
943	EMERGENCY MEDICAL CALL
4	LOCK IN
1	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
3	RESCUE CALL - NOT CLASSIFIED
2	SPILL, LEAK WITH NO IGNITION
4	ARCING, SHORTED ELECTRICAL EQUIPMENT
6	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT
2	WATER CUTOFF / EVACUATION

2	ASSIST POLICE
1	UNAUTHORIZED BURNING
6	SERVICE CALL - NOT CLASSIFIED
4	GOOD INTENT CALL - INSUFFICIENT INFO.
23	SMOKE SCARE
18	GOOD INTENT CALL - NOT CLASSIFIED
2	MALICIOUS, MISCHIEVOUS FALSE CALL
1	BOMB SCARE, NO BOMB
41	SYSTEM MALFUNCTION
1	FALSE CALL - NOT CLASSIFIED
<b>1,109</b>	
<b>Winton Place</b>	
1	FIRE, EXPLOSION - INSUFFICIENT INFO.
12	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
14	VEHICLE FIRE
6	REFUSE FIRE
393	EMERGENCY MEDICAL CALL
4	LOCK IN
4	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
4	SPILL, LEAK WITH NO IGNITION
1	POWER LINE DOWN
4	ARCING, SHORTED ELECTRICAL EQUIPMENT
5	HAZARDOUS CONDITION - NOT CLASSIFIED
2	WATER CUTOFF / EVACUATION
1	ASSIST POLICE
1	UNAUTHORIZED BURNING
2	SERVICE CALL - NOT CLASSIFIED
4	GOOD INTENT CALL - INSUFFICIENT INFO.
12	SMOKE SCARE
1	WRONG LOCATION
11	GOOD INTENT CALL - NOT CLASSIFIED
2	MALICIOUS, MISCHIEVOUS FALSE CALL
1	BOMB SCARE, NO BOMB
70	SYSTEM MALFUNCTION

3	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR MALFUNCTION
<b>560</b>	
<b>62,235</b>	<b>Total Incidents</b>